

TP 11 : Threads and semaphores

1 Basics

How to compile :

```
gcc -pthread program.c -o program
```

How to declare, create and join threads :

```
pthread_t t1;
```

`pthread_create` takes as arguments a pointer to the thread ID, attributes to set the properties of thread, a function pointer to the function that thread will run in parallel on start (this function should accept a void * and return void * too) and arguments to be passed to the function. For instance :

```
pthread_create(&t1, NULL, &function, NULL);
```

Don't forget to join the thread afterward :

```
pthread_join(t1, NULL);
```

The second argument is a pointer to store the return value from the thread. `pthread_create` and `pthread_join` both return 0 if the thread has been created/joined successfully.

How to declare, initialize, destroy and use semaphores :

```
sem_t s1;  
sem_open(&s1, 0, n);  
sem_destroy(&s1);
```

`sem_open` takes as second argument 0 because the semaphore is shared between threads and not processes. The argument n means that `sem_wait` can be called n times until the semaphore is locked. For instance if $n = 0$ it means a `sem_post` must be used first. `sem_open` and `sem_destroy` both return 0 if the semaphore has been opened/destroyed successfully.

```
sem_wait(&s1);  
\ critical code section  
sem_post(&s1);
```

`sem_post` frees the semaphore (i.e., increases n), `sem_wait` waits for the semaphore to be free ($n > 0$) and decreases n .

See `sem.c` as an example.

How to declare, initialize, destroy and use mutexes :

```
pthread_mutex_t m1;  
pthread_mutex_init(&m1, NULL);  
pthread_mutex_destroy(&m1);  
pthread_mutex_lock(&m1);  
pthread_mutex_unlock(&m1);
```

2 Review

1. What is the main difference between threads and processes? Can we use them interchangeably?
2. Download the program `mailbox.c` from the website. You have seen this example in class. What happens when the value of `MAX` is 10? 100? 1000? 1000000? Why does it not work as planned? Can you fix it?

Note : Observe that inside the `for` loop, we have only one line of code, i.e. `mails++`; Why still do we have a race condition?

3. Now, write a program in C with two threads. The first thread displays even integers up to 100, the second the odd. Use semaphores to ensure the correct order of integers.

3 Producer-Consumer

A typical problem in concurrent programming is that of producer and consumer : one thread produces data that the other consumes. We consider the `procon.c` program. Here the producer gets characters from a file and sends them to a shared space with the thread 'consumer' who displays them on the screen. However, in the current version, no synchronization exists in between. Modify the program so that it displays the contents of a file correctly.

4 Binary Semaphores vs. Mutexes

Download the program `mutexvsem.c`. Run it. Do you see any errors? Now, change the mutexes and have it use semaphores instead. Does it work?

Can you justify your observation?

5 Counting semaphores

Implement a logging queue using semaphores. You can use the template given in `login.c`. Your objective is to ensure that the resource (in our case the section enclosed in 'finite resource') is used by at most 12 users at a time. Create 15 threads and use a semaphore to manage the resource.

6 The function of Hénon

We will calculate the orbit of a dynamic system of dimension 2. The function of Hénon is described by the system

$$H_{a,b} = \begin{cases} x_{n+1} = a - by_n - x_n^2 \\ y_{n+1} = x_n. \end{cases}$$

We already have the function from last week. We will modify the program to use threads instead. We will use one thread to calculate the sequence $(x_n)_n$ and another thread for the sequence $(y_n)_n$. Propose a means of synchronization to ensure interleaving of the computations of x_n and y_n . Implement it.

We can plot the function with the command `gnuplot henon.p` after having downloaded the script "henon.p". The file `henon.dat` must be in the same folder as `henon.p`. (You will need `gnuplot` for this).

Observe the graph you get for values $a = 1.4$ et $b = -0.3$.

7 Mandelbrot

Let c be a complex number. Consider the series $z_0 = 0$ and $z_{n+1} = z_n^2 + c$ for $n \geq 0$. The Mandelbrot set is defined as the set of values c such that the z_n series is bounded. We know that this is the case if z_n never leaves a circle of radius 2 around 0. If the series ever leaves this circle, let $m(c)$ be the smallest index n such that this is the case. A popular application for $m(c)$ is to create pretty pictures; we associate the screen with a rectangle and each pixel with its corresponding c value; the pixel is then painted with a color corresponding to $m(c)$. The course web page contains such a program. Your task is to speed it up by running several threads in parallel. You can use `cat /proc/cpuinfo` to see how many cores a machine has. Each thread will work on a different a different part of the image.

8 Binary and Semaphores (Bonus)

We want to have n threads that each display the corresponding number from 0 to $n - 1$. However, they should synchronize to get them in order. In order to do this, they should use semaphores. During class, you saw a method which uses $n - 1$ semaphores but we can do it in $\log_2(n)$ semaphores.

Hint : The semaphores should represent the binary digits of the thread whose turn it is

Hint 2 : Handle endianness with care